

00

Snow Rebbit 3 > Snow Rabbit 3X Compact size, outstanding performance

10



Snow Rabbit 3

00

FAVERO

Custom colours

you can choose your favourite colour from the Ral palette. There is always a colour that matches your style!

Enhanced _____ performance with low emissions:

the new engine ensures higher strength and power transmission, reducing emissions and fuel consumption.

New quick-connecting system for of the accessories

the operator can connect the tiller and other accessories to the vehicle, in just 60 seconds



Snow Rabbits 3 X

New LED lighting system:

an optimum overview, day and night

New driver's cabin

more spacious, comfortable, and safe. Thanks to the ergonomic and intuitive controls, the new CAN-bus display, the heating system, the Radio CD/USB player, driving becomes a pleasure



Favero

Reinforced Frame

00

the Snow Rabbit frame has been reinforced, improving its resistance to heavy loads, when shovelling snow or preparing snowmobile tracks



COMPACT, HANDY AND RELIABLE

The **SNOW RABBIT 3** is the best vehicle to clear the narrowest mountain paths, transport goods and persons, prepare snowmobile trails, small slopes, winter hiking trails and minor cross-country tracks.

Designed to work on small places, Snow Rabbit 3 is one of the most compact and agile grooming vehicles on the market. Winter hiking trails and tight forest paths are its favourite places to work.

The Snow Rabbit 3 is the ideal synthesis of power, performance, reliability and economy: the whole vehicle has been built with the highest quality components, to assure it will provide years of dependable service.

COMPACT DESIGN, NO OBSTACLES

Snow Rabbit 3 is compact, but extremely flexible: thanks to its large platform, that can take a maximum load of 750 kg, it carries tools and materials to practically any location.

Thanks to its specific weight and its excellent manoeuvrability, it fears neither impractical terrains nor steep slopes. **Snow Rabbit 3** is a reliable emergency and rescue vehicle, ready to reach the most inaccessible areas. Thanks to its low emission levels, it is the perfect snow grooming vehicle for indoor ski slopes and transport work in areas with little snow.

A STRONG AND SAFE CAB

The new driver's cab, 5 cm higher and longer that the previous, is spacious and comfortable: superior visibility and its high quality insulation guarantee a pleasant environment in all working conditions. Moreover, the **Snow Rabbit 3** is ROPS certified: in the event of a roll-over, the its structure prevents excessive deformation and injury to the driver and passengers. The LED lighting system gives the driver an optimum overview, day and night, while the new integrated sunroof and adjustable side windows improve air circulation in all working conditions.

AN INTUITIVE WORKSPACE

Snow Rabbit 3 is easy to drive and operate. The display instruments are clearly arranged and all the important data is available at a glance. The cloche on the left armrest controls the drive system of the groomer, while the ergonomic joystick on the central dashboard provides sensitive and user-friendly control of the tiller, blade and track setters functions.

The new CAN-bus display provides an intuitive representation of all the necessary information. It informs the driver of the vehicle status during the startup test and advise any possible malfunctions, that can be resolved quickly.





PASSENGER TRANSPORT CABIN

Snow Rabbit can be equipped with an optional personnel cabin for up to 8 persons, available in two versions. The canvas cab is the most flexible and accessible choice, as the two fold-up benches and the large rear door allow the platform to be fully available for the transport of goods and tools when necessary. The metal cabin is a premium equipment, the best solution for transporting visitors up into the mountains. It features a comfortable driver's side door, high-quality thermal and acoustic insulation and an optional independent heating system. Moreover, thanks to the large side windows, passengers can experience breath-taking view during the travel.

HIGH FLEXIBILITY AND PREGISE RESULTS

The tried-and-tested tillers ensure perfect preparation results and feature two different tilling widths: The rigid 8-way blade is the cost-effective choice, with a simple and slimline design for the tightest winter trails and tracks. The 12-way Large blade provides the greatest flexibility: thanks to its hydraulically operated wings, it is easy to move large volumes of snow. The 12-way blade together with the "Large" tiller create a winning combination for precise work.



ALWAYS THE PERFECT-TRACK

Snow Rabbit 3 has two different reliable tillers to choose from, to assure top results, whatever your requirements: The tiller features the new one-person quick-connecting system, that makes it easy to connect the tiller to the vehicle, in just 60 seconds.


The **Snow Rabbit 3** can install up to two independent track setters can be installed: they are controlled by the driver's cab and can be moved along the fixing bar, allowing the operator to regulate the distance between tracks.

ENHANGED PERFORMANGE WITH LOW EMISSIONS

The **Snow Rabbit 3** features a full engine range offering with some very innovative solutions: the new Kohler and VM engines are now available for the Snow Kabbit 3 and 3X They are Stage V / Tier 4 Final emission-compliant, heavy-duty diesel engines, offering optimized fuel consumption, limited emissions, and remarkable performance. All the three engines assure excellent performance in extreme conditions, better heat management and limited maintenance costs. All the power you need, without compromise.



STANDARD TILLER LARGE TILLER					
1850 mm	WIDTH WITHOUT SIDE WINGS	2400 mm			
2350 mm	WIDTH WITH SIDE WINGS	2900 mm			
2000 RPM	Max rotating speed	2000 RPM			
140 kg	WEIGHT (WITH SIDE WINGS)	150 kg			



TRACKSAS REQUIRED

Depending on the area of work and the season, you can choose from different track types. The aluminium and steel track are notable for high strength and optimum power transmission, and can be used everywhere from normal terrain to steep slopes. The all-season Fishbone rubber track is the perfect track on minimal snow coverage, it can also be used in Indoor ski centres, or to cross hard surfaces and asphalt roads.



VM

ко

Enhanced power, reduced emissions

NewSize:

the X model is 2.20 m. wide, 15 centimetres more than the Snow Rabbit 3: thanks to its larger track area, it can climb almost any incline effortlessly.

New Engines

the new Kohler engine is now available for the Snow Rabbit 3X. It is a Tier 4 Final emissioncompliant, heavy-duty diesel engine, which offers optimized fuel consumption, limited emissions, and remarkable performance.

It assures excellent performance in extreme conditions, better heat management and limited maintenance costs.

New hydraulics:

Snow Rabbit 3X features the new hydraulic heavy-duty pumps, robust and reliable to complete the extreme tasks.

SN	OW RABBIT 3	SNOW RABBIT 3X	
GROUND CONTACT AREA	2′750 mm	2′750 mm	
RUT	130 mm	142 mm	
TRACK WIDTH	700 mm	785 mm	
WIDTH	2′050 mm	2′200 mm	

TECHNICAL DATA

ТҮРЕ	Kohler KDI3404T -SCR		
CYLINDERS	4		
DISPLACEMENT	3'359 сс		
POWER	100 kW/ 134 HP @ 2600 rpm		
MAX TORQUE	500 Nm @ 1400 rpm		
FUEL CONSUMPTION	13 l/h		
EXHAUST EMISSIONS	EU Stage IIIB - US Tier 4 interim		
STANDARD	EU Stage V - US Tier 4 Final		

DIMENSIONS		ELECTRICS		
LENGTH WITH BLADE	4'250 mm	OPERATING VOLTAGE	12 V	
LENGTH WITH ATTACHMENTS			110 AMP/H	
WIDTH:		ALTERNATOR	720 WATT	
SNOW RABBIT 3	2'030 mm	CABIN		
SNOW RABBIT 3X	2'200 mm	2 SEAT TILTABLE CABIN		
	2'360 mm	ROPS CERTIFICATION		
LOADING PLAN CAPACITY WEIGHT WITH BLADE	750 kg	SAFETY BELTS, RADIO/CD/US		
SNOW RABBIT 3	2′000 kg	WITH STEREO SPEAKERS, HE		
SNOW RABBIT 3X	2'200 kg	SYSTEM, BUS-CAN DISPLAY, LEI		
WEIGHT WITH BLADE AND TH	5	SYSTEM, INTEGRATED SUNROC	DF	
SNOW RABBIT 3	2′200 kg	TRACKS		
SNOW RABBIT 3X	2′400 kg		STEEL	
TOTAL WEIGHT		ICE SPIKES		
SNOW RABBIT 3	3′150 kg	RUBBER BELTS		
SNOW RABBIT 3X	3′350 kg		700 mm	
ENIQUE.		SNOW RABBIT 3		
ENGINE KOHLER - on SR3X		SNOW RABBIT 3X GROUND CONTACT AREA	785 mm	
	13404T-SCR	MIDDLE RUT		
EMISSIONS EU Stage 3B - U		SNOW RABBIT 3	130 mm	
EU Stage V - US		SNOW RABBIT 3X	130 mm 142 mm	
POWER 100Kw / 134hp @				
MAX TORQUE 500 Nm @	⊉ 1400 rpm	WHEELS 8 SOLID PLASTIC PLAIN WHE		
DISPLACEMENT	3′359 cc	2 SOLID PLASTIC PLAIN WHE		
VM		ACCESSORIES	(
	/ R 754 IE5	FRONTAL BLADE		
	Stage 3B /	WIDTH	2	
EU Stage V - US	-	8-WAY STANDARD BLADE	E 2'000 mm	
POWER 83kW (109hp) @		12-WAY "LARGE" BLADE	2'400 mm	
	2 1100 rpm	HYDRAULIC TILLER	2	
DISPLACEMENT	3'000 cc	WIDTH WITH FLAPS	S	
KOHLER		STANDARD TILLER	2'350 mm	
	DI 2504TCR	"LARGE" TILLER	2'900 mm	
EMISSIONS EU Stage V - US	Tier 4 final	WORKING WIDTH		
POWER 55kw / 74hp @	2600 rpm	STANDARD TILLER	1′850 mm	
MAX TORQUE 300 Nm @	2 1500 rpm	"LARGE" TILLER	2′300 mm	
DISPLACEMENT	2′480 cc	ROTATION SPEED	2′000 rpm	
		POLYURETHANE FINISHER		
TANK CAPACITY	l. 78.0	QUICK CONNECT SYSTEM		
DRIVING CHARACTERISTICS		CROSS-COUNTRY SKI TRACK		
SPEED	25 km/h	1 OR 2 INDEPENDENT TRACK	SETTERS	
TURNING CIRCLE	0 °	QUICK CONNECT SYSTEM		
MAXIMUM NOISE LEVEL	< 80 db(A)	OPTIONS		
SPEC. GROUND PRESSURE	45 g/cm2	REAR CANVAS CABIN		
		PREMIUM METAL PASSENGE	R CABIN	
+ 150 cm +		ALL-SEASON RUBBER TRACK	S	
	T I			
	-			
	227 cm			
	12			
State Door Door Card				
205 cm (SR3)				
		410 cm		
220 cm (SR3X)			5. 	



FAVERO compact, high-quality and easy-to-use snow vehicles.

From the 1980s, our family-run company designs and manufactures compact snow groomers and special vehicles.

Customers and operators always plays an important role in the engineering process of our new products and features, as they are our best source for improvements and specific demands.

Our range includes the Snow Rabbit 3 and Snow Rabbit 3X, appreciated for their great flexibility and convenience, and the utility towing-sleds Trailers, for the safe transport of goods and persons on snow. We are convinced that the reliability and quality of our vehicles, designed and artisan manufactured in Italy, is the most important added value we can offer our customers.



FAVERO SNOW TECH srl



Via Industrie, 1 - 31040 Signoressa di Trevignano (TV)

+39 0423 677110



info@faverolorenzo.com



www.faverolorenzo.com